Revision: 01.02.2023



# Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2023

Version number 2 (replaces version 1)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weber S-100

Safety data sheet no.: XXP01000218

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

### 1.3 Details of the supplier of the safety data sheet

## Manufacturer/Supplier:

Saint-Gobain Eesti AS

Peterburi tee 75

Tallinn 13816, Estonia

Phone: +372 6200 9510

eesti@saint-gobain.com

## 1.4 Emergency telephone number:

Estonia: 166662 - Poison Information Centre of the Public Health Agency

Latvia: 11 2 - Valsts ugunsdzēsības un glābšanas dienests (State Fire and Rescue Service); +371 67042473 - Toksikoloģijas un sepses klīnikas Saindēšanās un zāļu informācijas centrs, Hipokrāta 2, Rīga, Latvija, LV-1038 (Poisoning and Drug Information Center of the Toxicology and Sepsis Clinic) Lithuania: + 370 5 236 20 52; + 370 687 53378 (mob.) - Lietuvos apsinuodijimų kontrolės ir informacijos biuras (neatidėliotina informacija apsinuodijus) Lithuanian Poison Control and Information Office (urgent information in case of poisoning)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

#### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)



# Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2023 Version number 2 (replaces version 1) Revision: 01.02.2023

#### Trade name weber S-100

## **Hazard pictograms**





#### Signal word Danger

## Hazard-determining components of labelling:

cement portland, grey

## **Hazard statements**

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

# **Precautionary statements**

If medical advice is needed, have product container or label at hand. P101

P102 Keep out of reach of children.

Read carefully and follow all instructions. P103

Avoid breathing dust. P261

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. P333+P313

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### 2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

#### Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Mixture consisting of the following components.

Dangerous components:			
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	50-75%	
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey	10-20%	
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	5-10%	

**SVHC** Void

(Contd. on page 3)



Printing date 23.03.2023

Version number 2 (replaces version 1)

Trade name weber S-100

(Contd. of page 2)

Revision: 01.02.2023

#### **Additional information**

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8).

For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information**

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

#### After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air and to be sure call for a doctor.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

This powder (wet or dry) may cause irritation or potentially irreversible serious injury on contact with the eyes. Prolonged contact with moist skin (due to e.g. sweat or humidity) can cause skin irritation

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents The product is not combustible.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

## 5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up:

Dilute with plenty water.

Ensure adequate ventilation.

## 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 23.03.2023 Version number 2 (replaces version 1) Revision: 01.02.2023

Trade name weber S-100

See Section 13 for disposal information.

(Contd. of page 3)

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Thorough dedusting.

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

Further information about storage conditions:

Keep container tightly sealed.

Protect from humidity and water.

**7.3 Specific end use(s)** No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 14808-60-7 Silicon dioxide (Quartz sand) BOELV (European Union) Long-term value: 0.1* mg/m³				
BOELV (European Union) Long-term value: 0.1* mg/m³	CAS: 14808-60-7 Silicon dioxide (Quartz sand)			
*respirable fraction				
MAK (Germany)  Long-term value: 0.05 mg/m³ alveolengängige Fraktion				
GV (Denmark) Short-term value: 0.6* 0.2** mg/m³ Long-term value: 0.3* 0.1** mg/m³ *total:,**total, respirabel, EK				
LEP (Spain)  Long-term value: 0.05 mg/m³  *Fracción resp:n,d,y				
TWA (Italy)  Long-term value: 0.025 mg/m³ A2, (j)				
VLE (Portugal)  Long-term value: 0.05 mg/m³  Resp.;A2; fibrose pulmonar; cancro do pulmão				
OEL (Sweden)  Long-term value: 0.1 mg/m³ C, M, respirabel fraktion				
HTP (Finland)  Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly				

(Contd. on page 5)



Printing date 23.03.2023 Version number 2 (replaces version 1) Revision: 01.02.2023

#### Trade name weber S-100

		(Contd. of page 4			
CAS: 65997-15-1 cement portland, grey					
AGW (Germany)	Long-term value: 5 E mg/m³ DFG				
LEP (Spain)	Long-term value: 4 mg/m³ fracción respirable: e, d				
TWA (Italy)	Long-term value: 1 mg/m³ (e, j), A4				
VLE (Portugal)	Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma				
HTP (Finland)	Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijae				
CAS: 1317-65-3 calcium carbonate					
TWA (Italy)	Long-term value: 10 mg/m³ (e)				

## Additional Occupational Exposure Limit Values for possible hazards during processing:

Quartz respirable dust (< 5 µm): 0,15 mg/m<sup>3</sup>

#### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.

Eye/face protection Safety glasses.

Body protection: Protective work clothing.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Solid.

Colour: Grey
Odour: Odourless
Odour threshold: Not determined.

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

**Flammability** Product is not flammable.

Lower and upper explosion limit

**Lower:** Not determined.

(Contd. on page 6)



Printing date 23.03.2023 Revision: 01.02.2023 Version number 2 (replaces version 1)

Trade name weber S-100

(Contd. of page 5)

Upper: Not determined. Flash point: Not applicable Ignition temperature: Not determined. **Decomposition temperature:** Not determined. pH at 20 °C 12-13

Alkaline

Viscosity:

Kinematic viscosity Not applicable. dynamic: Not applicable.

Solubility

Water: Soluble

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not applicable.

Density and/or relative density

Density at 20 °C: 1.5-1.7 g/cm3 (DIN 51757)

Not applicable. Not determined.

Relative density Vapour density Not applicable. **Particle characteristics** See item 3.

9.2 Other information No further relevant information available.

Appearance:

Form: Powder

Important information on protection of health

and environment, and on safety.

**Auto-ignition temperature:** Product is not self-igniting.

**Explosive properties:** Product does not present an explosion hazard.

Void

Void

EU-VOC (g/L)

**Solids content:** 100.0 %

Change in condition Softening point/range

Oxidising liquids

Oxidising solids

Oxidising properties Not determined. **Evaporation rate** Not applicable.

Information with regard to physical hazard

classes **Explosives** Void Void Flammable gases **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void

(Contd. on page 7)



Printing date 23.03.2023 Version number 2 (replaces version 1) Revision: 01.02.2023

Trade name weber S-100

(Contd. of page 6)

Organic peroxidesVoidCorrosive to metalsVoidDesensitised explosivesVoid

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	1	Type	I	Value	1	/ Species	
CAS: 6	CAS: 65997-15-1 cement portland, grey							
Dermal	LD50	>2,000 mg/	kg (Rabbit)	)				
CAS: 1317-65-3 calcium carbonate					$\neg$			
Oral	LD50	>5,000 mg/	kg (Rat)					

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

#### **Endocrine disrupting properties**

None of the ingredients is listed.

# **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

(Contd. on page 8)



Printing date 23.03.2023 Version number 2 (replaces version 1) Revision: 01.02.2023

#### Trade name weber S-100

(Contd. of page 7)

Type of test / Effective concentration / Method / Assessment			
CAS: 1317-65-3 calcium carbonate			
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))		
EC50/48h	>1,000 mg/l (Daphnia magna)		
EC50/72h	>200 mg/l (Algae)		

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

## 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

#### Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

## Additional ecological information:

#### **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

European waste catalogue					
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10				
10 13 14	waste concrete and concrete sludge				
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances				
HP4	Irritant - skin irritation and eye damage				
HP13	Sensitising				

#### Uncleaned packaging:

## Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

### Recommended cleaning agent:

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

EUG



Printing date 23.03.2023 Version number 2 (replaces version 1) Revision: 01.02.2023

Trade name weber S-100

(Contd. of page 8)

14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordi IMO instruments	ing to Not applicable.	
UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

## **REGULATION (EC) No 1907/2006 ANNEX XVII**

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

Conditions of restriction: 47

# DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

## **REGULATION (EU) 2019/1148**

# Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

# Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

FUG





Printing date 23.03.2023 Version number 2 (replaces version 1) Revision: 01.02.2023

Trade name weber S-100

(Contd. of page 9)

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

EUH203 Contains chromium (VI). May produce an allergic reaction.

# Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation	The  classification of the mixture is generally based on the calculation $ r $
,	method using substance data according to Regulation (EC) No 1272/2008.
Skiii serisiusauori	12/2/2006.

### **Department issuing SDS: Marketing**

#### Contact:

Priit Pallum

Phone: +372 6200 9510 eesti@saint-gobain.com

#### Version number of previous version: 1

## Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

#### \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.